



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/597,146

07/13/2006

Raymond Joseph Elisabeth Habets

NL040071

6749

24737

7590

10/07/2008

PHILIPS INTELLECTUAL PROPERTY & STANDARDS

P.O. BOX 3001

BRIARCLIFF MANOR, NY 10510

EXAMINER

BITAR, NANCY

ART UNIT

PAPER NUMBER

2624

MAIL DATE

DELIVERY MODE

10/07/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/597,146	Applicant(s) HABETS, RAYMOND JOSEPH ELISABETH	
	Examiner NANCY BITAR	Art Unit 2624	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 May 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 May 2008 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Drawings

1. The drawings are objected to because figure 1 does not comply with 37 CFR 1.84(o) where suitable descriptive legends may be used subject to approval by Office, or may be required by the examiner where necessary for understanding of the drawing. They should contain as few words as possible

Examiner Notes

2. Examiner cites particular columns and line numbers in the references as applied to the claims below for the convenience of the applicant. Although the specified citations are representative of the teachings in the art and are applied to the specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested that, in preparing responses, the applicant fully consider the references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the examiner.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claims 8-10 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Regarding claim 8, the phrase "as such" renders the claim indefinite because it is unclear whether the limitations following the phrase are part of the claimed invention. See MPEP § 2173.05(d). Appropriate correction is required. Claims 9 and 10 are indefinite because it

is unclear to the nearest what applicant meant and what did he mean by smartly docking.

Because of the limitation “smartly docking the measurement object to the nearest” is unclear what feature or element is being further defined by this claim language, so that the claim fails to clearly point out and distinctly claim applicant’s invention.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

6. Claims 1-14 are rejected under 35 U.S.C. 102 (b) as being anticipated by Plet ET al (EP 1349098).

As to claim 1, Plet et al teaches a method of processing user interaction in a medical environment with a medical image for producing measurement data related to graphics on the medical image, wherein the graphics on the medical image comprises at least one graphic object (figure 2, paragraph [0095-0098]) , said method comprising the step of removably attaching at least one dynamic measurement object based on said measurement data to said graphic object (In one embodiment, all user-requested measurement points are mapped prior to generating the measurement objects that depend on them. All measurement objects are highlighted on the digital sketch upon which a copy of the object is generated and the user is requested to drag and adjust the copy to its corresponding position in the actual radiographic image. When all measurement points are available, the depending measurement objects are generated and the result of the measurement operators is computed, paragraph [0062]).

As to claim 2, Plet et al teaches the method according to claim 1, wherein the user interaction is cursor controlled and the medical image is displayed on a medical examination apparatus (display, figure 1, the enhanced placement mode is achieved by hinting the user as to the position of a constituent point of a measurement object by confining the placement to a set of points or objects defined by the graphical construction defined so far. These set of geometric objects are called the geometric loci of a geometric problem, paragraph [0068-0074]).

As to claim 3, Plet et al teaches the method according to claim 1, wherein said graphic object being associated with at least one anatomical structural element of medical objects on said medical image (In this representation the anatomy is schematically depicted as a collection of outlines of bone and other radiologically well-manifested landmarks. The measurement objects are drawn superimposed onto the anatomical outlines, paragraph [0045]).

As to claim 4, Plet et al teaches the method according to claim 1, wherein the measurement data is derived from said graphic object (paragraph [0054-0055]).

As to claim 5, Plet et al teaches the method according to claim 4, wherein the graphic object is a point, a line, a curve, two intersecting lines, or a contour (line, circle, ellipse, analytic curve, paragraph [0050]).

As to claim 6, Plet et al teaches the method according to claim 4, wherein the measurement data that is extracted from the graphics object is a line length, a curve length, an angle delimited by two intersecting lines, an area delimited by a contour or a profile along a line or a curve, a diameter, a perimeter, an area, a volume, or grey value profiles (figure 3; pure measurement operation and arithmetic measurement operations, paragraph [0050-0053]).

As to claim 7, Plet et al teaches the method according to claim 1, wherein the measurement objects are moved between or interconnect different graphics objects supporting the same measurement type, or transferred between different positions of a single graphics object (figure 3, paragraph 0127]).

As to claim 8, Plet et al teaches the method according to claim 7, wherein the graphics object being a line or a curve as such and the measurement object the length of the line, the graphics object being two intersecting lines and the measurement object the angle enclosed in a quadrant between the two lines, or the graphics object being a contour curve and the measurement object being the length of the contour or a diameter line interconnecting different points on the same contour curve or one point on said contour curve and another point on a further contour curve (paragraph [0050]; note that Curves in 2D and surfaces in 3D with a more complex shape may be described by piecewise polynomial subdivisions of a desired object shape, each of the curve segments defined by a control polygon and a basis of interpolating blending functions to establish the relationship between the curve and the control polygon. The control polygon for cubic splines consist of 4 points which may either be defined by methods outlined above, or may be derived on the basis of least-squares fitting. Of particular interest is the approximation of an object shape in the image with a fitting Bzier or spline shape based on the edge points of the object. Distance of an open-ended curve may be computed as the curvilinear path length defined as the path length integral between 2 points lying on the curve. An angle between two lines tangent to the curve at a two points, may likewise be calculated based on the derivatives of the curve's analytic function). Moreover, Pet et al teaches, derived points are the result of

Art Unit: 2624

geometrical calculation based on available graphical objects. Examples are the intersection of two lines, the intersection of a line and the perpendicular of a line through a given point etc. The procedures to locate a certain point as a geometric locus are defined in the methods of the point class, paragraph [0048]).

As to claim 9, as best understood, Pet et al teaches the method according to claim 1 comprising smartly docking the measurement object to the nearest, and at least one, from a set of graphic objects supporting a specific measurement associated with that measurement object. (paragraph [0045]; Setting snap to lines or other graphical entities has a similar effect: e.g. the line tangent to a circle (there are two such lines) through a given point is selected when moving the cursor nearest towards the intended tangent point, and a mouse click will teleport the cursor onto that tangent point on the circle, after which drawing of the tangent line completes the drawing of the line measurement object, paragraph [0071]).

As to claim 10, Pet et al teaches the method according to claim 9, comprising docking a smart length measurement object to any graphical object in the image that supports measuring its length, docking a smart distance measurement object to the two nearest graphic objects supporting a distance measurement, docking a smart diameter measurement object to contours, circles, spheres, tubes, or docking a smart angle measurement object to the nearest graphic objects supporting an angle measurement (paragraph [0050-0052]).

As to claim 11, Pet et al teaches the method according to claim 10, wherein the contours, circles, spheres, tubes are graphic elements visualizing vessels, the trachea, the oesophagus, or other hollow anatomical structural elements on said medical image (paragraph [0050]; figure 3,

Art Unit: 2624

note that claim 3 teaches a method wherein at least one of said calibrated values, uncertainty values, normative values and degrees of abnormality are visualized.)

The limitation of claims 12-14 has been addressed.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Wood et al (US 7,072,501) Is cited to teach a system for displaying anatomical information automatically detected by computer algorithms (computer-aided detection, or CAD), such anatomical information generated by tomographic scanning of the body (i.e., CT, MRI, ultrasound, PET). The CAD system provides for the display of detected objects in any selected viewport and the system is responsive to system user inputs in various display portions of a user interface.

Van Liere et al (2002/0067340) Is cited to teach processing cursor-based user interaction with spatially displayed medical images for producing graphics related data in computer tomography (CT) and MR images or RF images.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to NANCY BITAR whose telephone number is (571)270-1041.

The examiner can normally be reached on Mon-Fri (7:30a.m. to 5:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jinge Wu can be reached on 571-272-7429. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jingge Wu/
Supervisory Patent Examiner, Art Unit 2624

Nancy Bitar

9/22/2008